

CCEP GROUP

3/55 Pyrmont Bridge Rd Pyrmont, NSW, 2009 Australia

250643

AUSTRALIAN STANDARDS IMPACT TESTING COMPLIANCE CERTIFICATE - SCAPEWORKS AUSTRALIA - PLAYGROUND BARK

TESTING LOCATION:	4 SEDGER RD, KENTHURST NSW 2156
CLIENT:	SCAPEWORKS AUSTRALIA P.O. BOX 422, ROUND CORNER, NSW 2158
IMPACT MEASURING EQUIPMENT:	TRIAX TOUCH IMPACT TESTING RIG
SURFACING TYPE:	BARK SOFTFALL
METHOD OF FIXING:	CONCRETE BASE 1M X 1M
CRITICAL FALL HEIGHT:	3.0M
REQUIRED SETTLED DEPTH	300MM UNCOMPACTED NORMAL WEAR 360MM UNCOMPACTED HEAVY WEAR
Ne. CCEP Group Pty Ltd of 3/55 Pyrmont F	Bridge Rd Pyrmont NSW 2000 Australia here

We, CCEP Group Pty Ltd of 3/55 Pyrmont Bridge Rd, Pyrmont NSW 2009, Australia, hereby certify that we have assessed the SCAPEWORKS AUSTRALIA PLAYGROUND BARK playground surfacing as specified above for compliance with current Australian Standards. On-site testing with a Triax Touch Portable Surface Impact Testing Rig was conducted in accordance with the procedure set down in clause 2.6.1 of AS 4422:2022 Playground Surfacing Specifications, requirements, and test method. Based on our assessment, we are satisfied that the 'PLAYGROUND BARK' specified surfacing type will satisfy the impact attenuation requirements of AS 4422:2022 and AS 4685.1:2021 up to the stated critical fall height when installed and maintained, good condition to the required depth with adequate drainage. This certificate is valid for 3 years from the date of certification providing there is no change in the material specification of the product.

This certification applies only to the Playground Bark Bark Chip with a 5mm – 15mm regular particle size and no sharp pointed particles produced by Scapeworks Australia.

Signature.......August 13, 2025

NICOLAE BOICA. BSc (civil) MSc(structural) Eur ing, MIEAust CPEng NER RPEQ PRE (NSW) PE (VIC) CMEngNZ